

G	49	b_α	84, 85
G_ν	49	$\text{Ex}_\alpha(f)$	88, 89
\bar{G}	34, 54, 67	Γ	82, 84
\tilde{G}	34, 54, 67	Γ'	82, 84
K^ν	36	Γ^*	82, 84
K_ν	36	$\text{rk}_T(x)$	79
M	47	T_α	79, 81, 88
$M[G]$	19, 34, 37, 48, 49, 67	$T \upharpoonright \alpha$	79
$M[G_\nu]$	49		
\mathbb{M}	34-37, 48, 50, 75		
\mathbb{M}^ν	35, 49		
\mathbb{M}_ν	35, 49		
$\mathbb{M}(\theta)$	75		
\mathbb{P}	19-21, 33, 86, 85		
$\mathbb{P}(\tau)$	33, 67		
$\mathbb{P} \star \dot{\mathbb{Q}}$	21		
\mathbb{Q}	21, 34, 48, 76		
$\dot{\mathbb{Q}}$	34, 37		
\mathfrak{A}	39, 48		
\mathfrak{B}	64		
\mathfrak{C}	71, 72		
\mathbf{H}_A	61, 62, 67, 86		
\mathbf{H}_κ	73		
\mathbf{H}_{κ^+}	86		
\mathbf{L}	17, 21, 22, 27, 29, 33, 47, 48, 57, 70		
$\mathbf{L}[B]$	23, 28, 47, 49, 52, 54, 57, 59, 64		
$\mathbf{L}[D]$	12, 71, 72		
\mathbf{L}_β^D	61-66		
\mathbf{L}_α	21, 29, 40-44, 51		
$\mathbf{L}_\alpha[A]$	23, 30, 40, 61, 62		
\mathfrak{M}	45, 48-52, 56, 64, 65		
$\mathfrak{M} \upharpoonright A$	48, 52, 64		
\mathbf{V}	19, 21, 22, 25, 54, 71, 72		
$\mathbf{V} = \mathbf{L}$	13, 22, 37, 48, 57		
$\mathbf{V} = \mathbf{L}[A]$	23-25, 47, 50, 59, 61, 65, 73		

Index

— A —

acceptable	33
antichain	26, 80
Aronszajn tree ...	8-13, 26-31, 47 58, 74, 75, 77, 89
Axiom of Constructibility	22

— B —

Boolean algebra	19, 33
-----------------------	--------

— C —

cardinal	7, 69
collapsed	34, 49
inaccessible \sim	10, 30-33, 47, 48, 60, 65, 69, 73, 74, 75
large \sim	12, 30,
largest \sim	39, 61, 47, 73
Mahlo \sim	10, 27-31, 74
perserved	35
regular \sim	8, 11, 17, 22, 26, 30, 33, 72, 73
singular \sim	8
successor \sim	70
uncountable \sim	69, 72, 73
weakly compact \sim	30, 31

chain condition	20, 35
Chang	8, 69, 70, 72
Chang's Transfer Property .	8, 10
closed (λ -)	20
club	16, 17, 78, 89
coarse morass	39, 45, 48, 60
Cohen	33
coherency	82, 85, 89
collapse (Mostowski \sim) ...	15, 34
combinatorial principle	25
Condensation Lemma	22, 23
condition	18
consistent	7
constructible	21
\sim universe	22
relative \sim	23
Continuum Hypothesis	22
counterexample	10, 47, 73
Covering Lemma	22

— D —

diagonal intersection	17
Diamond	25
direct limit	16
directed system	16

— P —

p.r.-closed .. 28-30, 39, 40-45, 62
 partial order 18, 20, 34, 86
 predicate 7
 preserving cardinals 20, 35
 perserving cofinalities 20
 primitive recursive 28

— Q —

quasi morass 64-66

— R —

rank (tree \sim) 79
 rational numbers 80
 reals 33, 35, 36, 56
 regressive function 17

— S —

saturated 69
 R-saturated 70
 set-like 15
 Souslin 26
 square 8, 25-27
 weak 13, 25, 26, 75, 82
 stationary 16, 37, 40, 62
 supposition 48

— T —

theory 7, 12, 69, 73

Transfer Property 7
 Chang's \sim 8
 transfer property 39, 70
 failed \sim 72
 tree 25, 26, 42,
 level 79
 normal 79
 rank 79
 antichain 80
 Aronszajn \sim . . . 9, 10, 26, 31, 74
 Souslin \sim 26
 special Aronszajn \sim 9, 11,
 13, 26, 47, 58, 75, 79, 80, 89

— V —

Vaught 7, 71

— W —

weak square ... 13, 25, 26, 77, 82
 weakly compact 30, 31